

Contents

No. 1/2-1-308 issued April I 1993
No. 3-309-458 issued April II 1993

- Aggarwal RK → Lang JW 49
Agurell E → Cederberg H 38
Angermüller S → Masepohl B 369
Anraku Y → Matsuura A 6
Araki H, Awane K, Irie K, Kaisho Y, Naito A, Oshima Y: A specific host factor binds at a *cis*-acting, transcriptionally silent locus required for stability control of yeast plasmid pSR1 120
Arenas C → Gaubier P 409
Arnold W → Becker A 145
Asayama M, Kobayashi Y: Signal transduction and sporulation in *Bacillus subtilis*: autophosphorylation of Spo0A, a sporulation initiation gene product 138
Åbmann H → Breul A 155
Atanassova R → Curie C 428
Awane K → Araki H 120
Axelos M → Curie C 428
Baden CS → Zhang JZ 177
Baier JW → Ingham LD 350
Balbo I → Bonas U 261
Balińska M → Toroff R 185
Balles J → Poock B 325
Bardet C → Curie C 428
Basso J, Tiganos E, Herrington MB: Non-sense suppression in thymine-requiring strains of *Escherichia coli* is a consequence of altered folate metabolism 218
Battaglia PA → Gigliani F 333
Becker A, Kleickmann A, Arnold W, Pühler A: Analysis of the *Rhizobium meliloti* *exoH/exoK/exoL* fragment: ExoK shows homology to excreted endo- β -1,3-1,4-glucanases and ExoH resembles membrane proteins 145
Bernatzky R → Rivers BA 419
Bernier L → Dewar K 43
Blowers AD, Klein U, Ellmore GS, Bogorad L: Functional in vivo analyses of the 3' flanking sequences of the *Chlamydomonas* chloroplast *rbcL* and *psaB* genes 339
Bogdanova AN → Vassetzky YS 309
Bogorad L → Blowers AD 339
Bohlmann H → Turgeon BG 270
Bonas U, Conrads-Strauch J, Balbo I: Resistance in tomato to *Xanthomonas campestris* pv *vesicatoria* is determined by alleles of the pepper-specific avirulence gene *avrBs3* 261
Bonnefoy N → Marion-Poll A 209
Bosch L → Zeef LAH 252
Breul A, Åbmann H, Golz R, vonWilcken-Bergmann B, Müller-Hill B: Mutants with substitutions for Glu171 in the catabolite activator protein (CAP) of *Escherichia coli* activate transcription from the *lac* promoter 155
Bruenn JA → Tao J 234
Brugidou C, Marty I, Chartier Y, Meyer Y: The *Nicotiana tabacum* genome encodes two cytoplasmic thioredoxin genes which are differently expressed 285
Casselton LA → Richardson WVJ 304
Cederberg H, Agurell E, Hedenskog M, Rannug U: Amplification and loss of repeat units of the human minisatellite MS1 integrated in chromosome III of a haploid yeast strain 38
Chartier Y → Brugidou C 285
Chaubet N → Curie C 428
Chernov BK → Rechinsky VO 455
Christiansen SK → Turgeon BG 270
Ciotta C → Gigliani F 333
Ciuffetti LM → Turgeon BG 270
Conrads-Strauch J → Bonas U 261
Csanádi G → Kiss GB 129
Curie C, Axelos M, Bardet C, Atanassova R, Chaubet N, Lescure B: Modular organization and developmental activity of an *Arabidopsis thaliana* EF-1 α gene promoter 428
Dearolf CR → Hanratty WP 33
Del Grosso MF → Gigliani F 333
Delseny M → Gaubier P 409
Demakov SA, Semeshin VF, Zhimulev IF: Cloning and molecular genetic analysis of *Drosophila melanogaster* interband DNA 437
De Moura Gallo CV → Vassetzky YS 309
Dewar K, Bernier L: Electrophoretic karyotypes of the elm tree pathogen *Ophiostoma ulmi* (sensu lato) 43
Ellmore GS → Blowers AD 339
Eriksson J → Mohamed A 161
Escher A, Szalay AA: GroE-mediated folding of bacterial luciferases in vivo 65
Fantes P → Fernandez Sarabia M-J 241
Fernandez Sarabia M-J, McInerney C, Harris P, Gordon C, Fantes P: The cell cycle genes *cdc22+* and *osuc22+* of the fission yeast *Schizosaccharomyces pombe* encode the large and small subunits of ribonucleotide reductase 241
Ferrero I → Lodi T 315
Finkelstein RR: Abscissic acid-insensitive mutations provide evidence for stage-specific signal pathways regulating expression of an *Arabidopsis* late embryogenesis-abundant (*lea*) gene 401
Fischer K → Schulz B 357
Flügge U-I → Schulz B 357
Frommer WB → Schulz B 357
Garrett RH → Okamoto PM 81
Gaubier P, Raynal M, Hull G, Huestis GM, Grellet F, Arenas C, Pages M, Delseny M: Two different *Em*-like genes are expressed in *Arabidopsis thaliana* seeds during maturation 409
Ghahraman P → Pfeifer F 193
Gierl A → Trentmann SM 201
Gigliani F, Ciotta C, Del Grosso MF, Battaglia PA: pR plasmid replication provides evidence that single-stranded DNA induces the SOS system in vivo 333
Ginzberg I → Tao J 234
Golz R → Breul A 155
Gomez-Pedroza M → Zhang JZ 177
Gordon C → Fernandez Sarabia M-J 241
Grallert B, Nurse P, Patterson TE: A study of integrative transformation in *Schizosaccharomyces pombe* 26
Grellet F → Gaubier P 409
Haas D → Savioz A 74
Hacker J → Morschhäuser J 97
Hanna WW → Ingham LD 350
Hannah LC → Ingham LD 350
Hanratty WP, Dearolf CR: The *Drosophila* *Tumorous-lethal* hematopoietic oncogene is a dominant mutation in the *hopscotch* locus 33
Harada JJ → Zhang JZ 177
Harmsen MC → Schuren FHJ 91
Harris P → Fernandez Sarabia M-J 241
Hata S → Kouchi H 106
Hayashi N → Ogawa N 444
Hedenskog M → Cederberg H 38
Hennecke S → Masepohl B 369
Herrington MB → Basso J 218
Hirao I → Wakiyama M 59
Hübner P → Masepohl B 369
Huestis GM → Gaubier P 409
Hull G → Gaubier P 409
Hummel S → Schulz B 357
Ingham LD, Hanna WW, Baier JW, Hannah LC: Origin of the main class of repetitive DNA within selected *Pennisetum* species 350
Inoue H → Tomita H 225
Irie K → Araki H 120
Jahnen-Dechent W → Rivers BA 419
Jansson C → Mohamed A 161
Johnson DH: Adenine phosphoribosyl-transferase genes in two *Drosophila* species: dosage compensation, a nuclear

- matrix attachment site, and a novel intron position 383
- Kaisho Y → Araki H 120
- Kálmán K → Kiss GB 129
- Kaló P → Kiss GB 129
- Kiss GB, Csanádi G, Kálmán K, Kaló P, Ókrész L: Construction of a basic genetic map for alfalfa using RFLP, RAPD, isozyme and morphological markers 129
- Kleckner N → Raymond WE 390
- Kleickmann A → Becker A 145
- Klein U → Blowers AD 339
- Klipp W → Masepohl B 369
- Kobayashi Y → Asayama M 138
- Kochetkov SN → Rechinsky VO 455
- Koltin Y → Tao J 234
- Kostyuk DA → Rechinsky VO 455
- Kouchi H, Hata S: Isolation and characterization of novel nodulin cDNAs representing genes expressed at early stages of soybean nodule development 106
- Kües U → Richardson WVJ 304
- Kumagai I → Wakiyama M 59
- Lang JW, Aggarwal RK, Majumdar KC, Singh L: Individualization and estimation of relatedness in crocodilians by DNA fingerprinting with a Bkm-derived probe 49
- Lapitan NLV → Röder MS 294
- Lescure B → Curie C 428
- Lodi T, Ferrero I: Isolation of the *DLD* gene of *Saccharomyces cerevisiae* encoding the mitochondrial enzyme D-lactate ferricytochrome c oxidoreductase 315
- Lyakhov DL → Rechinsky VO 455
- Majumdar KC → Lang JW 49
- Marin E → Marion-Poll A 209
- Marion-Poll A, Marin E, Bonnefoy N, Pautot V: Transposition of the maize autonomous element *Activator* in transgenic *Nicotiana plumbaginifolia* plants 209
- Marty I → Brugidou C 285
- Marzluf GA → Okamoto PM 81
- Masepohl B, Angermüller S, Hennecke S, Hübner P, Moreno-Vivian C, Klipp W: Nucleotide sequence and genetic analysis of the *Rhodobacter capsulatus* ORF6-*nifU*, *SVW* gene region: possible role of NifW in homocitrate processing 369
- Masuda Y, Tsuchimoto S, Nishimura A, Ohtsubo E: Isolation of temperature-sensitive aminoacyl-tRNA synthetase mutants from an *Escherichia coli* strain harboring the *pemK* plasmid 169
- Matsuura A, Anraku Y: Characterization of the *MKS1* gene, a new negative regulator of the Ras-cyclic AMP pathway in *Saccharomyces cerevisiae* 6
- McInerney C → Fernandez Sarabia M-J 241
- Meyer Y → Brugidou C 285
- Mitsui H, Yamaguchi-Shinozaki K, Shinozaki K, Nishikawa K, Takahashi H: Identification of a gene family (*kat*) encoding kinesin-like proteins in *Arabidopsis thaliana* and the characterization of secondary structure of *KatA* 362
- Miura K → Wakiyama M 59
- Mizushima T, Natori S, Sekimizu K: Relaxation of supercoiled DNA associated with induction of heat shock proteins in *Escherichia coli* 1
- Mohamed A, Eriksson J, Osiewacz HD, Jansson C: Differential expression of the *psbA* genes in the cyanobacterium *Synechocystis* 6803 161
- Moreno-Vivian C → Masepohl B 369
- Morschhäuser J, Uhlin B-E, Hacker J: Transcriptional analysis and regulation of the *sfa* determinant coding for S fimbriae of pathogenic *Escherichia coli* strains 97
- Müller-Hill B → Breul A 155
- Naito A → Araki H 120
- Natorff R, Balińska M, Paszewski A: At least four regulatory genes control sulphur metabolite repression in *Aspergillus nidulans* 185
- Natori S → Mizushima T 1
- Nishikawa K → Mitsui H 362
- Nishimura A → Masuda Y 169
- Noguchi K → Ogawa N 444
- Nurse P → Grallert B 26
- Ókrész L → Kies GB 129
- Ogawa N, Noguchi K, Yamashita Y, Yasuhara T, Hayashi N, Yoshida K, Oshima Y: Promoter analysis of the *PHO81* gene encoding a 134 kDa protein bearing ankyrin repeats in the phosphatase regulon of *Saccharomyces cerevisiae* 444
- Ohtsubo E → Masuda Y 169
- Okamoto PM, Garrett RH, Marzluf GA: Molecular characterization of conventional and new repeat-induced mutants of *nit-3*, the structural gene that encodes nitrate reductase in *Neurospora crassa* 81
- Oshima Y → Araki H 120
- Oshima Y → Ogawa N 444
- Osiewacz HD → Mohamed A 161
- Pages M → Gaubier P 409
- Paszewski A → Natorff R 185
- Patterson TE → Grallert B 26
- Pautot V → Marion-Poll A 209
- Pfeifer F, Ghahraman P: Plasmid pHH1 of *Halobacterium salinarum*: characterization of the replicon region, the gas vesicle gene cluster and insertion elements 193
- Pflugfelder GO → Poec B 325
- Poec B, Balles J, Pflugfelder GO: Transcript identification in the *optomotor-blind* locus of *Drosophila melanogaster* by intragenic recombination mapping and PCR-aided sequence analysis of lethal point mutations 325
- Pühler A → Becker A 145
- Rannug U → Cederberg H 38
- Raymond WE, Kleckner N: Expression of the *Saccharomyces cerevisiae* *RAD50* gene during meiosis: steady-state transcript levels rise and fall while steady-state protein levels remain constant 390
- Raynal M → Gaubier P 409
- Razin SV → Vassetzky YS 309
- R.Dearolf WPH: The *Drosophila* *Tumorous-lethal* hematopoietic oncogene is a dominant mutation in the *hopscotch* locus 33
- Röder MS, Lapitan NLV, Sorrells ME, Tanksley SD: Genetic and physical mapping of barley telomeres 294
- Rechinsky VO, Kostyuk DA, Lyakhov DL, Chernov BK, Kochetkov SN: Random mutagenesis of the gene for bacteriophage T7 RNA polymerase 455
- Richardson WVJ, Kües U, Casselton LA: The *A* mating-type genes of the mushroom *Coprinus cinereus* are not differentially transcribed in monokaryons and dikaryons 304
- Rivers BA, Bernatzky R, Robinson SJ, Jahnen-Dechent W: Molecular diversity at the self-incompatibility locus is a salient feature in natural populations of wild tomato (*Lycopersicon peruvianum*) 419
- Robinson SJ → Rivers BA 419
- Saedler H → Trentmann SM 201
- Savioz A, Zimmermann A, Haas D: *Pseudomonas aeruginosa* promoters which contain a conserved GG-N₁₀-GC motif but appear to be RpoN-independent 74
- Scherrer K → Vassetzky YS 309
- Schäfer W → Turgeon BG 270
- Schulz B, Frommer WB, Flügge U-I, Hummel S, Fischer K, Willmitzer L: Expression of the triose phosphate translocator gene from potato is light dependent and restricted to green tissues 357
- Schuren FHJ, Harmsen MC, Wessels JGH: A homologous gene-reporter system for the basidiomycete *Schizophyllum commune* based on internally deleted homologous genes 91
- Sekimizu K → Mizushima T 1
- Semeshin VF → Demakov SA 437
- Shinozaki K → Mitsui H 362
- Shinozaki K → Yamaguchi-Shinozaki K 17
- Singh L → Lang JW 49
- Sorrells ME → Röder MS 294
- Soshi T → Tomita H 225
- Szalay AA → Escher A 65
- Takahashi H → Mitsui H 362
- Tanksley SD → Röder MS 294
- Tao J, Ginzberg I, Koltin Y, Bruenn JA: Mutants of *Ustilago maydis* defective in production of one of two polypeptides of KP6 toxin from the preprotoxin 234
- Tiganos E → Basso J 218
- Tomita H, Soshi T, Inoue H: The *Neurospora* *uvs-2* gene encodes a protein

- which has homology to yeast RAD18, with unique zinc finger motifs 225
- Trentmann SM, Saedler H, Gierl A: The transposable element *En/Spm*-encoded TNPA protein contains a DNA binding and a dimerization domain 201
- Tsuchimoto S → Masuda Y 169
- Turgeon BG, Bohlmann H, Ciuffetti LM, Christiansen SK, Yang G, Schäfer W, Yoder OC: Cloning and analysis of the mating type genes from *Cochliobolus heterostrophus* 270
- Uhlir B-E → Morschhäuser J 97
- Vassetzky YS, De Moura Gallo CV, Bogdanova AN, Razin SV, Scherrer K: The sequence-specific nuclear matrix binding factor F6 is a chicken GATA-like protein 309
- Wakiyama M, Hirao I, Kumagai I, Miura K-i: Effect of tandem repeated AUG codons on translation efficiency of eukaryotic mRNA carrying a short leader sequence 59
- Wessels JGH → Schuren FHJ 91
- Willmitzer L → Schulz B 357
- Yamaguchi-Shinozaki K → Mitsui H 362
- Yamaguchi-Shinozaki K, Shinozaki K: The plant hormone abscisic acid mediates the drought-induced expression but not the seed-specific expression of *rd22*, a gene responsive to dehydration stress in *Arabidopsis thaliana* 17
- Yamashita Y → Ogawa N 444
- Yang G → Turgeon BG 270
- Yasuhara T → Ogawa N 444
- Yoder OC → Turgeon BG 270
- Yoshida K → Ogawa N 444
- Zeef LAH, Bosch L: A technique for targeted mutagenesis of the EF-Tu chromosomal gene by M13-mediated gene replacement 252
- Zhang JZ, Gomez-Pedrozo M, Baden CS, Harada JJ: Two classes of isocitrate lyase genes are expressed during late embryogeny and postgermination in *Brassica napus* L. 177
- Zhimulev IF → Demakov SA 437
- Zimmermann A → Savioz A 74

Indexed in *Current Contents*